



Affordable and compact
colour solution

RICOH

AficioTM | MP C2030



affordable



**create
stunningly
finished
output**



compact





Superb colours

Your colour output will look crisp and accurate due to the MP C2030 PxP™ toner. Quality remains consistent even during longer runs. Print resolution is an excellent 600 dpi.

Wide media range

Creating reports, handouts or flyers? The MP C2030 handles a truly wide variety of paper types. It accepts sizes between A3 and A6, from light (52 g/m² via the bypass tray) to heavy (256 g/m² via standard and bypass trays). Glossy and coated papers or card stock are processed effortlessly. Even envelopes and transparencies can be conveniently fed via the standard bypass tray.



Excellent productivity

Duplex printing at simplex speeds – not all machines can do it. The MP C2030 prints and copies at 20 ppm in both monochrome and full colour. First copy speed is less than 6.5 seconds for B/W and less than 9.5 seconds for full colour.

Colour flexibility for all office types

The demands on office document production rise ever higher. Colour use is increasingly becoming a standard, but document outsourcing eats away at your budget. Ricoh's Aficio™ MP C2030 constitutes a welcome alternative. Productive, flexible and compact, this colour MFP offers excellent value for your money. Discover how all the capabilities you require can fit inside a slim design.

MP C2030

- Sharp and high-quality colour output with new PxP™ toner
- Excellent productivity at 20 ppm in both colour and B/W
- Duplexing at simplex speed
- Exceptionally wide media handling
- All-round functionality: Copying, printing, scanning and faxing (optional)



Aficio™ MP C2030

Superb colours

Wide media range

Excellent productivity

Standard printing capabilities

Reliable engine



Standard printing capabilities

The new MP C2030 has all basic printer features as standard. Enjoy its functionalities with the straightforward icon-based RPCS™ driver, or with the optional PCL driver. Your B/W and colour prints can even be sorted electronically for extra convenience.

Reliable engine

The MP C2030 engine is the fruit of years of Ricoh expertise. Its new tandem 4-drum design ensures reliable operation. A simplified paper path reduces the risk of jams, and your machine is continuously functional. With a maximum paper capacity of 1,600 sheets, refills are kept to a minimum.

We think green, and you?

'Green' is not just a colour for Ricoh – it is an attitude. Our PxP™ (polyester x polymerisation) toner is produced with significantly less carbon oxide emission than conventional toners. A more direct benefit for you is the MP C2030 standard duplex unit. Saving paper is kind to the environment as well as to the company budget.



PRINTER

Print speed:	B/W / Full colour:	20 prints per minute
Printer language:	Standard:	RPCS™
	Option:	PCL5c, PCL6
Resolution:		600 dpi
Interface:	USB 2.0 Host	
	USB Device	
	Ethernet 10 base-T/100 base-TX	
Supported environments:	Windows® 2000/XP/Vista/Server 2003/Server 2008	
	IBM iSeries	
	AS/400® using OS/400 Host Print Transform	

SCANNER

Scan speed:	B/W:	41 images per minute - LEF, A4 (through optional ARDF)
	Full colour:	26 images per minute (through optional ARDF)
Resolution:	Maximum:	600 dpi
Original size:		A5 - A3
Bundled drivers:		TWAIN Network (built-in)

COPIER

Copying process:		Dry electrostatic transfer system
Copy speed:	B/W / Full colour:	20 copies per minute
Resolution:		600 dpi
Multiple copy:		Up to 999
Warm-up time:		Less than 25 seconds ¹
First output speed:	B/W:	6.5 seconds
	Full colour:	9.5 seconds
Zoom:		25 - 400% (in 1% steps)
Memory:	Standard:	512 MB
Paper input capacity:	Standard:	2 x 250-sheet paper trays 1 x 100-sheet bypass tray
	Maximum:	1,600 sheets ²

Paper output capacity:	Maximum:	650 sheets
Paper size:		A6 - A3
Paper weight:	Paper tray 1:	60 - 256 g/m ²
	Paper tray 2:	60 - 169 g/m ²
	Bypass tray:	60 - 256 g/m ²
	Duplex tray:	60 - 105 g/m ²
Dimensions (W x D x H):		587 x 655 x 845 mm (with ARDF)
Weight:		Less than 100 kg (with ARDF)
Power source:		220 - 240 V, 50/60 Hz
Power consumption:	Operation:	Maximum 1,680 W ¹

SOFTWARE

SmartDeviceMonitor™², Web Image Monitor³, DeskTopBinder™ Lite³

FAX (OPTIONAL)

Circuit:		PSTN, PBX
Compatibility:		ITU-T (CCITT) G3
Modem speed:	Maximum:	33.6 Kbps
Resolution:		200 x 100/200 dpi
Compression method:		MH, MR, MMR, JBIG
Scanning speed:		36 sheets per minute
Memory capacity:	Standard:	4 MB
Memory backup:		Yes

OTHER OPTIONS

Platen cover, 50-sheet Auto Reverse Document Feeder, 2 x 500-sheet paper trays, Cabinet, Inner one bin tray, PCL module, Copy Data Security Unit, PictBridge.

¹Warm-up time and power consumption may differ depending on the conditions and environment of the machine.

²With optional paper trays

³Supplied with printer-scanner option

For availability of models, optional apparatus and software, please contact your local Ricoh supplier.



ISO 9001:2000 certified
ISO 14001 certified

Ricoh has designed these products to meet EC ENERGY STAR guidelines for energy efficiency.

All brand and/or product names are trademarks of their respective owners.

Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Accessories shown in the pictures are not part of standard offering.

RICOH INDIA LIMITED

CONTACT: Tel: 011-41613010-18 Fax: 011-41612221/3019 Email: ril.info@ricoh.co.in SMS: 'RICOH' to 53456

REGISTERED OFFICE: 1201, 1st Floor, Building No. 12, Solitaire Corporate Park

Andheri-Ghatkopar Link Road, Andheri-East, Mumbai - 400 093

Tel: (022) 22881953/ 54/ 55 Fax: (022) 22881950

Ahmedabad, Bangalore, Bhopal, Bhubaneshwar, Chandigarh, Chennai, Coimbatore, Delhi, Guwahati, Hyderabad,

Jaipur, Kochi, Kolkata, Lucknow, Mumbai, Nagpur, Patna, Pune, Ranchi, Visakhapatnam.

For more information, please contact: