

Supreme office productivity in  
black and white

**RICOH**

**Aficio™** | SP 6330N



compact



productive



reliable

# The cost-efficient A3 printing solution

Keep one step ahead with the Aficio™ SP 6330N. This monochrome laser printer enables you to create different types of office documents at high speed. Heavy paper, labels or envelopes – all are processed smoothly. Network capability is standard. Last but not least, this printer stands out thanks to its affordability and competitive cost per page.



- High productivity: 35 ppm (A4)
- Competitive print cost
- @Remote cost-accounting capability
- Standard Network Interface Card
- Superior media handling



## Speed up

Working at high speed, the SP 6330N manages your print jobs in the blink of an eye. The printer warms up in no more than 19 seconds. Its first print appears in less than 7 seconds. With a maximum paper capacity of 1,600 sheets, your productivity is never compromised.



## Save cost

- Competitive cost per page
- Track printer use and costs via @Remote
- Save paper by printing duplex (optional)



## Connect easily

The SP 6330N is well-equipped for shared use. Its network interface card is standard. With USB 2.0 and Ethernet 10 base-T/100 base-TX, this printer fits right into your existing network. Other interfaces are available as options. Send specific jobs to the most appropriate machine and get more value from your output systems.





### Versatile printing

- Collate prints
- Produce and check sample prints
- Set a password for the release of confidential prints (with optional HDD)



### Wide paper handling

For your reports, handouts or flyers, the SP 6330N supports a great variety of media. Stock ranging from A6 to A3 and weighing up to 216 g/m<sup>2</sup> is accepted effortlessly. You can even print envelopes via the optional envelope feeder. Create your own materials when you need them and cut outsourcing expenses.



### We think green, do you?

Ricoh devices boost the cost-efficiency of your print workflow while respecting the environment. Short warm-up times result in frequent use of the energy-saver mode. Combine this low energy cost with the SP 6330N's paper-saving duplex capability and what is good for nature, is also good for you.



## GENERAL

<b>Print speed:</b>	35 prints per minute (A4)
<b>Warm-up time:</b>	19 seconds or less
<b>First print speed:</b>	6.8 seconds or less
<b>Dimensions (WxDxH):</b>	478 x 437 x 404 mm
<b>Weight:</b>	22.5 kg
<b>Power source:</b>	220 - 240 V, 50 - 60 Hz
<b>Power consumption:</b>	Maximum: 940 W Energy-saver mode: 3.9 W
<b>Duty cycle:</b>	200,000 pages per month

## CONTROLLER

<b>Processor:</b>	466 MHz
<b>Resolution:</b>	1,200 x 1,200 dpi
<b>Memory:</b>	Standard: 256 MB Maximum: 512 MB HDD (option): 80 GB
<b>Drivers:</b>	Standard: PCL5e, PCL6, PostScript™3 emulation

## CONNECTIVITY

<b>Network protocol:</b>	TCP/IP, AppleTalk
<b>Supported environments:</b>	Windows® 2000/ XP/ Vista/ 7/ Server 2003/ Server 2008 Macintosh OS 8.6 - 9.x Macintosh OS X v10.1 - 10.6 Unix (using Ricoh Unix filter) Novell® Netware®
<b>Interface:</b>	Standard: USB 2.0 10 base-T/ 100 base-TX Ethernet Option: IEEE 802.11a/g IEEE 1284 Gigabit Ethernet

## PAPER HANDLING

<b>Paper input capacity:</b>	Standard: 1 x 500-sheet paper tray 100-sheet bypass tray Maximum: 1,600 sheets
<b>Paper output capacity:</b>	Up to 500 sheets
<b>Paper size:</b>	A6 - A3
<b>Paper weight:</b>	Paper trays: 60 - 216 g/m <sup>2</sup> Bypass tray: 52 - 216 g/m <sup>2</sup>

## CONSUMABLES

Machine is shipped with	
<b>Starter Toner cartridge:</b>	Yield 6,000 pages @ 5% coverage area <sup>1</sup>
<b>Regular Toner cartridge:</b>	Yield 20,000 pages @ 5% coverage area <sup>1</sup>

## OTHER OPTIONS

<b>External options:</b>	2 x 500-sheet paper trays, Envelope feeder (for optional paper trays only), Duplex unit
<b>Internal options:</b>	128 MB memory, 256 MB memory, Hard Disk Drive, Netware, HDD Overwrite Security Unit, HDD Encryption Unit, IPDS unit <sup>2</sup>

<sup>1</sup>Toner yield measurement is based on ISO 19752.

<sup>2</sup>Additional memory option of at least 128 MB and HDD is required for IPDS printing.



ISO 9001: 2000 certified  
ISO 14001 certified

Ricoh has designed these products to meet EC ENERGY STAR guidelines for energy efficiency.

All brand and/or product names are trademarks of their respective owners.

Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure.



URL: <http://www.ricoh.co.in>

## RICOH INDIA LIMITED

CORPORATE OFFICE: 52-B, Okhla Industrial Estate Phase-III, New Delhi - 110 020  
Tel: (011) 41613010-18 Fax: (011) 41612221/ 3019 Email: ril.info@ricoh.co.in  
REGISTERED OFFICE: 1104, Arcadia, NCPA Road, Nariman Point, Mumbai - 400 021  
Tel: (022) 22881953/ 54/ 55 Fax: (022) 22881950  
Ahmedabad, Bangalore, Bhopal, Bhubaneswar, Chandigarh, Chennai, Coimbatore, Delhi, Guwahati, Hyderabad, Jaipur, Kochi, Kolkata, Lucknow, Mumbai, Nagpur, Patna, Pune, Ranchi, Visakhapatnam.

For more information, please contact: